

Customer Information

Client: 7Tabz Distribution
Attention: shop@pop7tabz.com
Address: 5525 Johns Road, STE 901
Tampa, FL 33634

Testing Facility

Lab: Cora Science, LLC
Address 8000 Anderson Square, STE 113
Austin, Texas 78757
Contact: info@corascience.com
(512) 856-5007

Sample Image(s)



Sample Information

Name: 7Tabz - Pseudo + 7Hydroxy Tablets - 20mg - 4ct Blister
Lot Number: 109024
Description: Pressed Tablet
Condition: Good
Job ID: ISO02616
Sample ID: I06420
Received: 08OCT2024
Completed: 15OCT2024
Issued: 15OCT2024

Test Results

Mitragyna Alkaloids (UHPLC-DAD)Method Code: T102Tested: 13OCT2024 | 1111

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	0.190	mg/unit	0.039	N/A
7-Hydroxymitragynine	Report Results	9.57	mg/unit	0.010	N/A
Paynantheine	Report Results	0.083	mg/unit	0.039	N/A
Speciogynine	Report Results	0.077	mg/unit	0.039	N/A
Speciociliatine	Report Results	<LOQ	mg/unit	0.039	N/A
Total Mitragyna Alkaloids	Report Results	9.92	mg/unit	0.039	N/A

Mitragyna Alkaloids (UHPLC-DAD)Method Code: T102Tested: 13OCT2024 | 1111

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	0.025	w/w%	0.0053	N/A
7-Hydroxymitragynine	Report Results	1.28	w/w%	0.0014	N/A
Paynantheine	Report Results	0.011	w/w%	0.0053	N/A
Speciogynine	Report Results	0.010	w/w%	0.0053	N/A
Speciociliatine	Report Results	<LOQ	w/w%	0.0053	N/A
Total Mitragyna Alkaloids	Report Results	1.33	w/w%	0.0053	N/A

Elemental Impurities (ICP-MS)Method Code: T301Tested: 15OCT2024 | 0916

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Arsenic	NMT 1.50	0.102	ug/g	0.006	PASS
Cadmium	NMT 0.50	0.020	ug/g	0.002	PASS
Mercury	NMT 0.20	0.010	ug/g	0.002	PASS
Lead	NMT 0.50	<LOQ	ug/g	0.002	PASS

This report, prepared by Cora Science, LLC, shall not be reproduced except in its entirety without prior written approval. All test articles are analyzed as received and the results relate only to the specific sample of material or product analyzed. Test methods are performed in a laboratory accredited to ISO/IEC 17025:2017 in the field of testing by PJLA (Accreditation #116374) or a registered outsourcing facility. Some test methods reported may fall outside the scope of L22-250 supplement.

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Total Aerobic Plate Count	10,000,000 CFU / g	Not Detected	N/A	20 CFU / g	PASS
Total Yeast and Mold	100,000 CFU / g	Not Detected	N/A	20 CFU / g	PASS
Total Coliforms	10,000 CFU / g	Not Detected	N/A	20 CFU / g	PASS
Escherichia coli	Not Detected in 10 g	Not Detected	N/A	1 CFU / 10 g	PASS
Salmonella	Not Detected in 10 g	Not Detected	N/A	1 CFU / 10 g	PASS

Additional Report Notes

T102 result, LOQ and unit converted from w/w% to mg/unit using a laboratory measured unit weight of 0.745 grams.

Revision History


rev 00 - Initial release.

Abbreviations

ID: identification, **N/A:** not applicable, **LOQ:** limit of quantitation, **CFU:** colony forming units, **w/w%:** weight by weight percent, **mg:** milligrams, **g:** grams, **ug:** micrograms, **mL:** milliliters, **ND:** not detected, **<LOQ:** below limit of quantitation, **NMT:** no more than, **NLT:** no less than, **UHPLC:** ultra-high performance liquid chromatography, **GC:** gas chromatography, **DAD:** diode array detection/detector, **MS:** mass spectroscopy/spectrometer, **ICP:** inductively coupled plasma, **ISO:** International Organization for Standardization, **USP:** United States Pharmacopeia

Authorization

This report has been authorized for release from Cora Science by:

Signature:		Position:	Laboratory Director
		Department:	Management
Name:	Tyler West	Date:	15OCT2024